

兔抗 BCAR1(Phospho-Tyr410) 多克隆抗体

中文名称: 兔抗 BCAR1(Phospho-Tyr410) 多克隆抗体

英文名称: Anti-BCAR1(Phospho-Tyr410) rabbit polyclonal antibody

别名: CAS; CAS1; CASS1; CRKAS; P130Cas

相关类别: 一抗

储存: 冷冻 (-20℃) 避光

宿主: Rabbit

抗原: BCAR1(Phospho-Tyr410)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	BCAR1, or CAS, is an Src (MIM 190090) family kinase substrate involved in various cellular events, including migration, survival, transformation, and invasion. Docking protein which plays a central coordinating role for tyrosine kinase-based signaling related to cell adhesion. Implicated in induction of cell migration. Overexpression confers antiestrogen resistance on breast cancer cells.
Applications:	WB, IHC
Name of antibody:	BCAR1(Phospho-Tyr410)
Immunogen:	Peptide sequence around phosphorylation site of tyrosine 410(G-V-Y(p)-A-V) derived from Human p130 Cas .
Full name:	breast cancer anti-estrogen resistance 1
Synonyms :	CAS; CAS1; CASS1; CRKAS; P130Cas

SwissProt:	P56945
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	93 kDa
WB Positive control:	K562 cells and NIH/3T3 cells lysates
WB Recommended dilution:	500-1000



