

兔抗 KIN 多克隆抗体

中文名称: 兔抗 KIN 多克隆抗体

英文名称: Anti-KIN rabbit polyclonal antibody

别 名: Kin17 DNA and RNA binding protein; BTCD; Rts2; KIN17

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: KIN

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

| Background: | The protein encoded by this gene is a nuclear protein th at forms intranuclear foci during proliferation and is redis tributed in the nucleoplasm during the cell cycle. Short-w ave ultraviolet light provokes the relocalization of the protein, suggesting its participation in the cellular response to DNA damage. Originally selected based on protein-binding with RecA antibodies, the mouse protein presents a limited similarity with a functional domain of the bacteria I RecA protein, a characteristic shared by this human ortholog. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jan 2012] |
|---------------|---|
| Applications: | ELISA, IHC |



全国订货电话 4008-723-722

| Name of antibody: | KIN |
|-----------------------------|---|
| Immunogen: | Fusion protein of human KIN |
| Full name: | Kin17 DNA and RNA binding protein |
| Synonyms: | BTCD; Rts2; KIN17 |
| SwissProt: | O60870 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human esophagus cancer and Human tonsil |
| IHC Recommend dilution: | 100-300 |





全国订货电话 4008-723-722

