

兔抗 L3MBTL2 多克隆抗体

中文名称:	兔抗 L3MBTL2 多克隆抗体
英文名称:	Anti-L3MBTL2 rabbit polyclonal antibody
别名:	L3MBTL2, polycomb repressive complex 1 subunit; L3MBT; H-I(3)mbt-l
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	L3MBTL2
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	Putative Polycomb group (PcG) protein. PcG proteins maintain the transcriptionally repressive state of genes, probably via a modification of chromatin, rendering it heritably changed in its expressibility. Its association with a chromatin-remodeling complex suggests that it may contribute to prevent expression of genes that trigger the cell into mitosis. Binds to monomethylated and dimethylated 'Lys-20' on histone H4. Binds histone H3 peptides that are monomethylated or dimethylated on 'Lys-4', 'Lys-9' or 'Lys-27'.
Applications:	ELISA, WB, IHC
Name of antibody:	L3MBTL2
Immunogen:	Fusion protein of human L3MBTL2

Full name:	L3MBTL2, polycomb repressive complex 1 subunit
Synonyms:	L3MBT; H-I(3)mbt-I
SwissProt:	Q969R5
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	79 kDa
WB Positive control:	Mouse thymus tissue lysate
WB Recommended dilution:	500-2000



