

小鼠抗 S100A10 单克隆抗体

中文名称： 小鼠抗 S100A10 单克隆抗体

英文名称： Anti-S100A10 mouse monoclonal antibody

别名： S100 calcium binding protein A10; 42C; P11; p10; GP11; ANX2L; CAL1L; CLP11; Ca[1]; ANX2LG

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： S100A10

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： Mouse Monoclonal

技术规格

Background:	The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in exocytosis and endocytosis.
Applications:	WB, IP, IF
Name of antibody:	S100A10
Immunogen:	Fusion protein of human S100A10

Full name:	S100 calcium binding protein A10
Synonyms:	42C; P11; p10; GP11; ANX2L; CAL1L; CLP11; Ca[1]; ANX2LG
SwissProt:	P08207
WB Predicted band size:	11 kDa
WB Positive control:	C6, 3T3 and Hela cell lysates
WB Recommended dilution:	1000-5000
IF positive control:	Hela cells
IF Recommend dilution:	100-200



