

兔抗 CHPF 多克隆抗体

中文名称：兔抗 CHPF 多克隆抗体

英文名称： Anti-CHPF rabbit polyclonal antibody

别名： CSS2; CHSY2

抗原： CHPF

储存： 冷冻（-20℃） 避光

宿主： Rabbit

反应种属： Human Mouse Rat

相关类别： 一抗

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

| | |
|--------------------------|--|
| Background: | Has both beta-1,3-glucuronic acid and beta-1,4-N-acetylglucosaminyl transferase activity. Transfers glucuronic acid (GlcUA) from UDP-GlcUA and N-acetylgalactosamine (GalNAc) from UDP-GalNAc to the non-reducing end of the elongating chondroitin polymer. Isoform 2 may facilitate PAR2 transport into the mitochondria. In collaboration with PARK2, isoform 2 may enhance cell viability and protect cells from oxidative stress. |
| Applications: | WB, IHC, IF |
| Name of antibody: | CHPF |
| Immunogen: | Synthesized peptide derived from internal of human CHSS 2. |
| Full name: | chondroitin polymerizing factor |

| | |
|---------------------------------|-----------------------------------|
| Synonyms : | CSS2; CHSY2 |
| SwissProt: | Q8IZ52 |
| IHC positive control: | Human cervix carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 85 kDa |
| WB Positive control: | LOVO cells and K562 cells lysates |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | MCF-7 cells |
| IF Recommend dilution: | 100-500 |



