

兔抗 CYP2A7 多克隆抗体

中文名称：兔抗 CYP2A7 多克隆抗体

英文名称：Anti-CYP2A7 rabbit polyclonal antibody

别名：CPA7; CPAD; CYP2A; CYP11A7; P450-IIA4

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：CYP2A7

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum; its substrate has not yet been determined. This gene, which produces two transcript variants, is part of a large cluster of cytochrome P450 genes from the CYP2A, CYP2B and CYP2F subfamilies on chromosome 19q.
Applications:	WB
Name of antibody:	CYP2A7

Immunogen:	Synthesized peptide derived from Internal of human CYP2A7.
Full name:	cytochrome P450, family 2, subfamily A, polypeptide 7
Synonyms :	CPA7; CPAD; CYP2A; CYP2A7; P450-IIA4
SwissProt:	P20853
WB Predicted band size:	56 kDa
WB Positive control:	K562 and Jurkat cells lysates
WB Recommended dilution:	500-3000

