

ATG4C 抗原(重组蛋白)

中文名称: ATG4C 抗原(重组蛋白)

- 英文名称: ATG4C Antigen (Recombinant Protein)
- 别名: APG4C; AUTL1; AUTL3; APG4-C
- 储存: 冷冻(-20℃)
- 相关类别: 抗原
- 概 述:

Fusion protein corresponding to C terminal 250 amino acids of human ATG4C

技术规格:

| Full name: | autophagy related 4C, cysteine peptidase |
|--------------------|---|
| Synonyms: | APG4C; AUTL1; AUTL3; APG4-C |
| Swissprot: | Q96DT6 |
| Gene Accession: | BC033024 |
| Purity: | >85%, as determined by Coomassie blue stained SDS-PAGE |
| Expression system: | Escherichia coli |
| Tags: | His tag C-Terminus, GST tag N-Terminus |
| Background: | Autophagy is the process by which endogenous proteins and dama ged organelles are destroyed intracellularly. Autophagy is postulate d to be essential for cell homeostasis and cell remodeling during differentiation, metamorphosis, non-apoptotic cell death, and aging. Reduced levels of autophagy have been described in some maligna nt tumors, and a role for autophagy in controlling the unregulated cell growth linked to cancer has been proposed. This gene encode s a member of the autophagin protein family. The encoded protein is also designated as a member of the C-54 family of cysteine pro |





teases. Alternate transcriptional splice variants, encoding the same protein, have been characterized.