

兔抗 MCRS1 多克隆抗体

- 中文名称：兔抗 MCRS1 多克隆抗体
- 英文名称：Anti-MCRS1 rabbit polyclonal antibody
- 别名：microspherule protein 1; P78; MCRS2; MSP58; INO80Q; ICP22BP
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：MCRS1
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Modulates the transcription repressor activity of DAXX by recruiting it to the nucleolus (PubMed:11948183). As part of the NSL complex it may be involved in acetylation of nucleosomal histone H4 on several lysine residues (PubMed:20018852). Putative regulatory component of the chromatin remodeling INO80 complex which is involved in transcriptional regulation, DNA replication and probably DNA repair. May also be an inhibitor of TERT telomerase activity (PubMed:15044100). Binds to G-quadruplex structures in mRNA (PubMed:16571602). Binds to RNA homopolymer poly(G) and poly(U) (PubMed:16571602).
Applications:	ELISA, WB, IHC

Name of antibody:	MCRS1
Immunogen:	Fusion protein of human MCRS1
Full name:	microspherule protein 1
Synonyms:	P78; MCRS2; MSP58; INO80Q; ICP22BP
SwissProt:	Q96EZ8
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	52 kDa
WB Positive control:	293T cell lysate
WB Recommended dilution:	500-2000



