

兔抗 MET 多克隆抗体

中文名称：兔抗 MET 多克隆抗体

英文名称：Anti-MET rabbit polyclonal antibody

别名：HGFR; AUTS9; RCCP2; c-Met

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MET

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The proto-oncogene MET product is the hepatocyte growth factor receptor and encodes tyrosine-kinase activity. The primary single chain precursor protein is post-translationally cleaved to produce the alpha and beta subunits, which are disulfide linked to form the mature receptor. Various mutations in the MET gene are associated with papillary renal carcinoma. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	MET
Immunogen:	Synthetic peptide of human MET
Full name:	MET proto-oncogene, receptor tyrosine kinase

Synonyms:	HGFR; AUTS9; RCCP2; c-Met; DFNB97
SwissProt:	P08581
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	156 kDa
WB Positive control:	Hela and A431 cell lysates
WB Recommended dilution:	500-2000



