

兔抗 EIF4EBP1(Ab-64) 多克隆抗体

中文名称：兔抗 EIF4EBP1(Ab-64) 多克隆抗体

英文名称：Anti-EIF4EBP1(Ab-64) rabbit polyclonal antibody

别 名：BP-1; 4EBP1; 4E-BP1; PHAS-I

相关类别：一抗

储 存：冷冻 (-20°C) 避光

宿 主：Rabbit

抗 原：EIF4EBP1(Ab-64)

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene encodes one member of a family of translation repressor proteins. The protein directly interacts with eukaryotic translation initiation factor 4E (eIF4E), which is a limiting component of the multisubunit complex that recruits 40S ribosomal subunits to the 5' end of mRNAs. Interaction of this protein with eIF4E inhibits complex assembly and represses translation.
Applications:	WB, IHC
Name of antibody:	EIF4EBP1(Ab-64)
Immunogen:	Synthesized non-phosphopeptide derived from human 4E-BP1 around the phosphorylation site of serine 65 (R-N-S(p)-P-V).
Full name:	eukaryotic translation initiation factor 4E binding protein 1

	n 1
Synonyms :	BP-1; 4EBP1; 4E-BP1; PHAS-I
SwissProt:	Q13541
IHC positive control:	Human colon carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	13 kDa
WB Positive control:	Jurkat cells treated with Insulin (0.01U/ml, 15mins) lysate
WB Recommended dilution:	500-3000



