

兔抗 ENO1 多克隆抗体

中文名称：兔抗 ENO1 多克隆抗体

英文名称： Anti-ENO1 rabbit polyclonal antibody

别名： NNE; PPH; MPB1; ENO1L1

相关类别： 一抗

抗原： ENO1

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes alpha-enolase, one of three enolase isoenzymes found in mammals. Each isoenzyme is a homodimer composed of 2 alpha, 2 gamma, or 2 beta subunits, and functions as a glycolytic enzyme. Alpha-enolase in addition, functions as a structural lens protein (tau-crystallin) in the monomeric form. Alternative splicing of this gene results in a shorter isoform that has been shown to bind to the c-myc promoter and function as a tumor suppressor. Several pseudogenes have been identified, including one on the long arm of chromosome 1. Alpha-enolase has also been identified as an autoantigen in Hashimoto encephalopathy.
Applications:	ELISA, WB, IHC

Name of antibody:	ENO1
Immunogen:	Fusion protein of human ENO1
Full name:	enolase 1, (alpha)
Synonyms :	NNE; PPH; MPB1; ENO1L1
SwissProt:	P06733
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	47 kDa
WB Positive control:	Hela, A431 and hepG2 cells, mouse brain and liver tissue, mouse pancreas and human fetal brain tissue
WB Recommended dilution:	500-2000



