

## 兔抗 MUC1 多克隆抗体

中文名称：兔抗 MUC1 多克隆抗体

英文名称：Anti-MUC1 rabbit polyclonal antibody

别名：EMA; MCD; PEM; PUM; KL-6; MAM6; MCKD; PEMT; CD227; H23AG; MCKD1; MUC-1; ADMCKD; ADMCKD1; CA 15-3; MUC-1/X; MUC1/ZD; MUC-1/SEC

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MUC1

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a membrane-bound protein that is a member of the mucin family. Mucins are O-glycosylated proteins that play an essential role in forming protective mucous barriers on epithelial surfaces. These proteins also play a role in intracellular signaling. This protein is expressed on the apical surface of epithelial cells that line the mucosal surfaces of many different tissues including lung, breast stomach and pancreas. This protein is proteolytically cleaved into alpha and beta subunits that form a heterodimeric complex. The N-terminal alpha subunit functions in cell-adhesion and the C-terminal beta subunit is involved in cell signaling.
<b>Applications:</b>	ELISA, WB, IHC

<b>Name of antibody:</b>	MUC1
<b>Immunogen:</b>	Synthetic peptide of human MUC1
<b>Full name:</b>	mucin 1, cell surface associated
<b>Synonyms :</b>	EMA; MCD; PEM; PUM; KL-6; MAM6; MCKD; PEMT; CD227; H23AG; MCKD1; MUC-1; ADMCKD; ADMCKD1; CA 15-3; MUC-1/X; MUC1/ZD; MUC-1/SEC
<b>SwissProt:</b>	P15941
<b>ELISA Recommended dilution:</b>	1000-2000
<b>IHC positive control:</b>	Human lung cancer
<b>IHC Recommend dilution:</b>	50-300
<b>WB Predicted band size:</b>	122 kDa
<b>WB Positive control:</b>	HT-29 cells
<b>WB Recommended dilution:</b>	200-1000



