

兔抗 FABP3 多克隆抗体

- 中文名称：兔抗 FABP3 多克隆抗体
- 英文名称：Anti-FABP3 rabbit polyclonal antibody
- 别名：MDGI; FABP11; H-FABP; M-FABP; O-FABP
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：FABP3
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：Unconjugate

技术规格

Background:	The intracellular fatty acid-binding proteins (FABPs) belong to a multigene family. FABPs are divided into at least three distinct types, namely the hepatic-, intestinal- and cardiac-type. They form 14-15 kDa proteins and are thought to participate in the uptake, intracellular metabolism and/or transport of long-chain fatty acids. They may also be responsible in the modulation of cell growth and proliferation. Fatty acid-binding protein 3 gene contains four exons and its function is to arrest growth of mammary epithelial cells. This gene is a candidate tumor suppressor gene for human breast cancer.
Applications:	ELISA, WB, IHC

Name of antibody:	FABP3
Immunogen:	Synthetic peptide of human FABP3
Full name:	fatty acid binding protein 3, muscle and heart
Synonyms :	MDGI; FABP11; H-FABP; M-FABP; O-FABP
SwissProt:	P05413
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain and human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	15 kDa
WB Positive control:	Human heart tissue
WB Recommended dilution:	200-1000



