

兔抗 FHL2 多克隆抗体

中文名称：兔抗 FHL2 多克隆抗体

英文名称：Anti-FHL2 rabbit polyclonal antibody

别名：DRAL; AAG11; FHL-2; SLIM3; SLIM-3

相关类别：一抗

储存：冷冻（-20℃）

抗原：FHL2

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the four-and-a-half-LIM-only protein family. Family members contain two highly conserved, tandemly arranged, zinc finger domains with four highly conserved cysteines binding a zinc atom in each zinc finger. This protein is thought to have a role in the assembly of extracellular membranes. Also, this gene is down-regulated during transformation of normal myoblasts to rhabdomyosarcoma cells and the encoded protein may function as a link between presenilin-2 and an intracellular signaling pathway. Multiple alternatively spliced variants, encoding the same protein, have been identified.
Applications:	ELISA, WB, IHC

Name of antibody:	FHL2
Immunogen:	Fusion protein of human FHL2
Full name:	four and a half LIM domains 2
Synonyms :	DRAL; AAG11; FHL-2; SLIM3; SLIM-3
SwissProt:	Q14192
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human cervical cancer and human brain
IHC Recommend dilution:	50-200
WB Predicted band size:	32 kDa
WB Positive control:	Mouse heart tissue
WB Recommended dilution:	1000-5000



