

## 兔抗 NCF1(Phospho-Ser345) 多克隆抗体

中文名称：兔抗 NCF1(Phospho-Ser345) 多克隆抗体

英文名称：Anti-NCF1(Phospho-Ser345) rabbit polyclonal antibody

别名：neutrophil cytosolic factor 1

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：NCF1(Phospho-Ser345)

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

<b>Background:</b>	The protein encoded by this gene is a 47 kDa cytosolic subunit of neutrophil NADPH oxidase. This oxidase is a multicomponent enzyme that is activated to produce superoxide anion. Mutations in this gene have been associated with chronic granulomatous disease. [provided by RefSeq, Jul 2008]
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	NCF1(Phospho-Ser345)
<b>Immunogen:</b>	Peptide sequence around phosphorylation site of Serine 345(P-Q-S(p)-P-G) derived from Human Nuclear p47 phox.
<b>Full name:</b>	neutrophil cytosolic factor 1
<b>Synonyms :</b>	neutrophil cytosolic factor 1
<b>SwissProt:</b>	P14598
<b>IHC positive control:</b>	Human brain tissue

<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	45 kDa
<b>WB Positive control:</b>	HepG2 cells lysates treated with TNF
<b>WB Recommended dilution:</b>	500-1000



