

## 兔抗 NKX2-5 多克隆抗体

|       |  |
|-------|--|
| 中文名称: | 兔抗 NKX2-5 多克隆抗体                                      |
| 英文名称: | Anti-NKX2-5 rabbit polyclonal antibody               |
| 别名:   | CSX; CSX1; VSD3; CHNG5; HLHS2; NKX2E; NKX2.5; NKX4-1 |
| 抗原:   | NKX2-5   |
| 储存:   | 冷冻 (-20℃)  |
| 宿主:   | Rabbit   |
| 反应种属: | Human, Mouse, Rat                                    |
| 相关类别: | 一抗   |
| 标记物:  | Unconjugate  |
| 克隆类型: | rabbit polyclonal                                    |

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | This gene encodes a homeobox-containing transcription factor. This transcription factor functions in heart formation and development. Mutations in this gene cause atrial septal defect with atrioventricular conduction defect, and a Iso tetralogy of Fallot, which are both heart malformation diseases. Mutations in this gene can also cause congenital hypothyroidism non-goitrous type 5, a non-autoimmune condition. Alternative splicing results in multiple transcript variants. |
| <b>Applications:</b>     | ELISA, IHC   |
| <b>Name of antibody:</b> | NKX2-5   |
| <b>Immunogen:</b>        | Fusion protein of human NKX2-5   |
| <b>Full name:</b>        | NK2 homeobox 5   |
| <b>Synonyms:</b>         | CSX; CSX1; VSD3; CHNG5; HLHS2; NKX2E; NKX2.5; NKX4-1   |

|                             |   |
|-----------------------------|---|
| SwissProt:                  | P52952                                      |
| ELISA Recommended dilution: | 5000-10000                                  |
| IHC positive control:       | Human liver cancer and human thyroid cancer |
| IHC Recommend dilution:     | 25-100                                      |



