

## 兔抗 GLO1 多克隆抗体

中文名称：兔抗 GLO1 多克隆抗体

英文名称： Anti-GLO1 rabbit polyclonal antibody

别名： GLYI; GLOD1; HEL-S-74

相关类别： 一抗

储存： 冷冻（-20℃）

抗原： GLO1

宿主： Rabbit

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

|                                    |  |
|------------------------------------|--|
| <b>Background:</b>                 | The enzyme encoded by this gene is responsible for the catalysis and formation of S-lactoyl-glutathione from methylglyoxal condensation and reduced glutathione. Glyoxalase I is linked to HLA and is localized to 6p21.3-p21.1, between HLA and the centromere. |
| <b>Applications:</b>               | ELISA, WB, IHC   |
| <b>Name of antibody:</b>           | GLO1   |
| <b>Immunogen:</b>                  | Fusion protein of human GLO1   |
| <b>Full name:</b>                  | glyoxalase I   |
| <b>Synonyms :</b>                  | GLYI; GLOD1; HEL-S-74  |
| <b>SwissProt:</b>                  | Q04760   |
| <b>ELISA Recommended dilution:</b> | 1000-2000  |

|                                 |   |
|---------------------------------|---|
| <b>IHC positive control:</b>    | Human liver cancer and human thyroid cancer |
| <b>IHC Recommend dilution:</b>  | 100-300                                     |
| <b>WB Predicted band size:</b>  | 21 kDa                                      |
| <b>WB Positive control:</b>     | 293T cells                                  |
| <b>WB Recommended dilution:</b> | 200-1000                                    |



