

兔抗 PSMB8 多克隆抗体

| | |
|-------|--|
| 中文名称: | 兔抗 PSMB8 多克隆抗体 |
| 英文名称: | Anti-PSMB8 rabbit ployclonal antibody |
| 别名: | JMP; ALDD; LMP7; NKJO; D6S216; PSMB5i; RING10; D6S216E |
| 相关类别: | 一抗 |
| 储存: | 冷冻 (-20℃) |
| 宿主: | Rabbit |
| 抗原: | PSMB8 |
| 反应种属: | Human, Mouse |
| 标记物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|--------------------------|---|
| Background: | The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | PSMB8 |
| Immunogen: | Synthetic peptide of humanPSMB8 |
| Full name: | proteasome (prosome, macropain) subunit, beta type, 8 |
| Synonyms : | JMP; ALDD; LMP7; NKJO; D6S216; PSMB5i; RING10; D6S2 |

| | |
|------------------------------------|--|
| | 16E |
| SwissProt: | P28062 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human liver cancer and Human esophagus cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 30 kDa |
| WB Positive control: | 231 and A431 cells, Mouse liver and Human placenta tissue, Jurkat and Raji cells |
| WB Recommended dilution: | 200-1000 |



