

兔抗 EMC7 多克隆抗体

中文名称: 兔抗 EMC7 多克隆抗体

英文名称: Anti-EMC7 rabbit polyclonal antibody

别 名: HT022; C11orf3; C15orf24; ORF1-FL1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: EMC7

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格


Background:

EMC7, also known as C15orf24, which encoding more th an 700 genes, chromosome 15 is made up of approxima tely 106 million base pairs and is about 3% of the human genome. Angelman and Prader-Willi syndromes are associated with loss of function or deletion of genes in the 15q11-q13 region. In the case of Angelman syndrome, th is loss is due to inactivity of the maternal 15q11-q13 en coded UBE3A gene in the brain by either chromosomal deletion or mutation. In cases of Prader-Willi syndrome, there is a partial or complete deletion of this region from the paternal copy of chromosome 15. Tay-Sachs disease is a lethal disorder associated with mutations of the HEX A gene, which is encoded by chromosome 15. Marfan syndrome is associated with chromosome 15 through the F




全国订货电话 4008-723-722

	BN1 gene. The C15orf24 gene product has been provisio nally designated C15orf24 pending further characterizatio
	n.
Applications:	ELISA, WB, IHC
Name of antibody:	EMC7
Immunogen:	Synthetic peptide of human EMC7
Full name:	ER membrane protein complex subunit 7
Synonyms:	HT022; C11orf3; C15orf24; ORF1-FL1
SwissProt:	Q9NPA0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	30-150
WB Predicted band size:	26 kDa
WB Positive control:	Human testis tissue and A549 cell lysates
WB Recommended dilution:	500-2000









全国订货电话 4008-723-722

